



AIR MONITORING RISK ASSESSMENT  
CRINGILA PUBLIC SCHOOL - NW HOTSPOT  
35 SHEFFIELD STREET  
CRINGILA NSW 2502

Weekly Report  
14/05/18 - 18/05/18

## Cringila Public School

May 2018  
C107826 : J153825 : RC

## Document Control

Document Quality Management Details.		
<b>Report Name:</b>	AMR-25 Air Monitoring Risk Assessment	
<b>Site Details:</b>	Cringila PS NW Hotspot – 35 Sheffield Street, Cringila NSW 2502	
<b>Client Name:</b>	NSW Department of Education	
<b>Client Number:</b>	C107826	
<b>Signatures:</b>	Prepared By:   Ellyssa Angelucci Program Coordinator	Authorised By:   Rowan Clark Property Risk Consultant

## Issue Status

Version No.	Date	Creator	Reviewer	Comments
1	22/05/2018	Ellyssa Angelucci	Rowan Clark	
2				

## Document Circulation

No	Type	Customer Name	Position & Title
1	Electronic	NSW Department of Education	Greg Mott Senior Group Leader



# Air Monitoring Risk Assessment

Cringila Public School NW Hotspot – 35 Sheffield Street, Cringila NSW 2502

## Table of Contents

<b>1. Introduction .....</b>	<b>1</b>
<b>2. Assessment Criteria .....</b>	<b>1</b>
<b>3. Air Quality Monitoring Methodology .....</b>	<b>3</b>
<b>3.1 Spot Check / Real Time Air Quality Monitoring.....</b>	<b>3</b>
<b>3.2 Monitoring Locations .....</b>	<b>3</b>
<b>4. Spot Check / Real Time Air Monitoring Results .....</b>	<b>4</b>
<b>5. Discussion.....</b>	<b>7</b>
<b>Appendix A: Site Map and Sampling Locations .....</b>	<b>8</b>
<b>Appendix B: Calibration Certificates .....</b>	<b>10</b>

## 1. INTRODUCTION

At the request of the Department of Education, Greencap were engaged to undertake air monitoring utilising real-time monitoring devices at Cringila Public School, 35 Sheffield Street Cringila NSW 2502. The aim of this monitoring program was primarily to investigate concerns raised by school employees and those of the general public regarding the potential exposure to air pollutants originating from the pre-identified subsurface hotspot occurring in this particular area of the school.

Based on the correspondence provided by the NSW Department of Education, the objectives of this assessment are as follows:

- Undertake an assessment of the air quality at the source of the subsurface hotspot and to determine the extent of associated atmospheric pollutants (gases) distribution within Cringila Public School;
- Pollutants to be monitored using real-time monitors to provide a profile of air quality i.e. carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), volatile organic compounds, sulphur dioxide (SO<sub>2</sub>), hydrogen sulphide (H<sub>2</sub>S), methane (CH<sub>4</sub> – LEL), oxygen (O<sub>2</sub>), nitric oxide (NO) and nitrogen dioxide (NO<sub>2</sub>).
- Real time monitoring was to provide a snapshot to determine the extent of atmospheric pollutant levels on School grounds.

This report presents the results relating to an ongoing air monitoring investigation carried out in the North-Western Hotspot, situated on the Cringila Public School grounds, located at 35 Sheffield Street, Cringila NSW 2502.

## 2. ASSESSMENT CRITERIA

As demonstrated in Table 1 below, the assessment criteria referenced as part of this project is based on several sources as this monitoring assessment had to consider numerous factors including outside air exposure, indoor air quality exposure and personal worker exposure. These reference sources included *Approved Methods for Modelling and Assessment of Air Pollutants in NSW* (NSW EPA 2016), *Workplace Exposure Standards for Airborne Contaminants* (SWA, 2013), *ASHRAE Standard 62.1 Ventilation for Acceptable Indoor Air Quality* (2016), or equivalent publications as a point of reference.

For the purpose of this assessment, these criteria values highlighted in bold will be referenced in this report as they are deemed to be the most conservative levels based on the multifaceted monitoring works undertaken. It is however important to note that WES do not apply to children. Reference to WES is purely for guidance purposes only.



**Table 1 Air Quality Monitoring Assessment Criteria**

<b>POLLUTANT</b>	<b>AVERAGING PERIOD</b>	<b>CRITERIA</b>	<b>SOURCE</b>
<i>Carbon monoxide (CO)</i>	8-hours	9 ppm	NSW EPA 2016 <sup>a</sup>
		9 ppm	ASHRAE Standard 62.1-2016
		30 ppm	SWA 2013 <sup>b</sup>
<i>Carbon dioxide (CO<sup>2</sup>)</i>	8-hours	5000 ppm	SWA 2013 <sup>b</sup>
		Not greater than 700 ppm above local outdoor concentration levels	ASHRAE Standard 62.1-2016
<i>Sulphur dioxide (SO<sup>2</sup>)</i>	24-hours	0.08 ppm (8 ppm)	NSW EPA 2016 <sup>a</sup>
	8-hours	2 ppm (5 ppm STEL) <sup>d</sup>	SWA 2013 <sup>b</sup>
<i>Hydrogen sulphide (H<sup>2</sup>S)</i>	8-hour	10 ppm (15 ppm STEL) <sup>d</sup>	SWA 2013
		0.9 ppm (Peak)	NSW EPA 2016
<i>Nitric oxide (NO)</i>	8-hour	25 ppm	SWA 2013
<i>Nitrogen dioxide (NO<sup>2</sup>)</i>	1-hour	0.12 ppm (12 ppm)	NSW EPA 2016 <sup>a</sup>
	8-hours	3 ppm (5 ppm STEL) <sup>d</sup>	SWA 2013 <sup>b</sup>
<i>Oxygen (O<sup>2</sup>)</i>	-	19.5-23.5%	SWA 2011 <sup>c</sup>
<i>Volatile organic compounds (VOC)</i>	-	Contaminant specific	-
<i>Methane (as LEL)</i>	-	<5%	SWA 2011 <sup>c</sup>

**Sources:**

a - NSW EPA 2016, Approved methods for the Modelling and Assessment of Air Pollutants in New South Wales, NSW Environment Protection Authority.

b - SWA 2013, Workplace Exposure Standards for Airborne Contaminants, Safe Work Australia. These concentrations are based on Time Weighted Averages (TWA) for an 8-hour shift.

c - SWA 2011, Confined Spaces Code of Practice, Safe Work Australia. These concentrations are based on conditions that do not pose an immediate risk to human health.

d - Short term exposure limit (STEL) means the average airborne concentration of a substance calculated over a 15-minute period. The STEL should not be exceeded at any time during a normal eight hour working day.



### 3. AIR QUALITY MONITORING METHODOLOGY

#### 3.1 SPOT CHECK / REAL TIME AIR QUALITY MONITORING

‘Spot-check’ air quality monitoring at locations within the vicinity of the subsurface hotspot area was conducted to determine the extent of atmospheric pollutants (gases) associated with the hotspot. Pollutants monitored using real-time Multi-Gas Detectors provided and continue to provide a profile of air quality which include: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), volatile organic compounds (VOCs), sulphur dioxide (SO<sub>2</sub>), hydrogen sulphide (H<sub>2</sub>S), methane (CH<sub>4</sub>) as LEL, oxygen (O<sub>2</sub>), nitric oxide (NO) and nitrogen dioxide (NO<sub>2</sub>).

These air quality parameters were recorded at specific nominated locations within the northwest hotspot area over an interval of up to 15 minutes at each location. Monitoring included sensitive receptors such as locations within the school boundary and adjacent neighbouring residences in order to effectively delineate the extent and distribution of these atmospheric pollutants. This will be performed at the digression of the Greencap Consultant on site.

In this assessment, RAE Systems Multi RAE Gas Detectors were used with specific sensor configurations to target the nominated pollutants/gases to be assessed against the Air Quality Monitoring Criteria detailed below in Table 2. Each unit will be configured to log data at one second intervals, and upper and lower alarm limits will be set to reflect the adopted air monitoring criteria.

**Table 2 Multi-Gas Detector Sensor Specifications**

<b>UNIT</b>	<b>SENSOR</b>	<b>RANGE</b>	<b>RESOLUTION</b>
<i>Multi RAE Lite – Unit 1</i>	SO <sub>2</sub>	0 to 20 ppm	0.1 ppm
	NO	0 to 250 ppm	0.5 ppm
	NO <sub>2</sub>	0 to 20 ppm	0.1 ppm
	O <sub>2</sub>	To 30% (Volume)	0.1% (Volume)
	VOCs	0 to 1,000 ppm	1 ppm
<i>Multi RAE Lite – Unit 2</i>	CO	0 to 200 ppm	0.1 ppm
	CO <sub>2</sub>	0 to 50,000 ppm	100 ppm
	H <sub>2</sub> S	0 to 100 ppm	0.1 ppm
	LEL (Methane)	0 to 100%	1%

#### 3.2 MONITORING LOCATIONS

Spot measurements were taken within the North-Western Hotspot area and at surrounding locations to determine whether potential air pollutants from the subsurface hotspot were present. These monitoring locations included the following:

- A-01 General Background
- A-02 NW Hotspot – Concrete Cap Surface
- A-03 NW Hotspot – Small Mound
- A-04 NW Hotspot – NE fence line
- A-05 Exclusion Area Fence Line East of Hotspot (Approx. 10m)
- A-06 Exclusion Area Fence Line Southeast of Hotspot (Approx. 15m)
- A-07 Exclusion Area Fence Line South of Hotspot (Approx. 30m)
- A-08 Exclusion Area Fence Line Northwest of Hotspot, adjacent 17 Lackawanna Street (Approx. 50m)



#### 4. SPOT CHECK / REAL TIME AIR MONITORING RESULTS

The atmospheric pollutant results for each monitoring event are summarised below in Table 3, and locations can be viewed in **Appendix A**.

<b>Date of Monitoring: Monday 14<sup>th</sup> May 2018</b>											
<b>Location</b>		Carbon monoxide (CO) (ppm)	Carbon dioxide (CO <sup>2</sup> ) (ppm)	Sulphur dioxide (SO <sup>2</sup> ) (ppm)	Hydrogen sulphide (H <sup>2</sup> S) (ppm)	Nitric oxide (NO) (ppm)	Nitrogen dioxide (NO <sup>2</sup> ) (ppm)	Oxygen (O <sup>2</sup> ) (%)	Volatile organic compounds (VOC) (ppm)	Methane (as LEL) (%)	<b>Within Acceptable Limits?</b>
A-01	General Background – West of Site Fence	0	300	0	0	0	0	20.9	0	0	✓
A-02	NW Hotspot – Adjacent Concrete Cap	0	300	0	0	0	0	20.9	0	0	✓
A-03	NW Hotspot – Small Mound	0	300	0	0	0	0	20.9	0	0	✓
A-04	NE Fence Line Adjacent Hotspot	0	300	0	0	0	0	20.9	0	0	✓
A-05	Exclusion Area Fence Line East of Hotspot (Approx. 10m)	0	300	0	0	0	0	20.9	0	0	✓
A-06	Exclusion Area Fence Line Southeast of Hotspot (Approx. 15m)	0	300	0	0	0	0	20.9	0	0	✓
A-07	Exclusion Area Fence Line South of Hotspot (Approx. 30m)	0	300	0	0	0	0	20.9	0	0	✓
A-08	Exclusion Area Fence Line Northwest of Hotspot, adjacent 17 Lackawanna Street (Approx. 50m)	0	300	0	0	0	0	20.9	0	0	✓



<b>Date of Monitoring: Tuesday 15<sup>th</sup> May 2018</b>											
<b>Location</b>		Carbon monoxide (CO) (ppm)	Carbon dioxide (CO <sup>2</sup> ) (ppm)	Sulphur dioxide (SO <sup>2</sup> ) (ppm)	Hydrogen sulphide (H <sup>2</sup> S) (ppm)	Nitric oxide (NO) (ppm)	Nitrogen dioxide (NO <sup>2</sup> ) (ppm)	Oxygen (O <sup>2</sup> ) (%)	Volatile organic compounds (VOC) (ppm)	Methane (as LEL) (%)	<b>Within Acceptable Limits?</b>
A-01	General Background – West of Site Fence	0	300	0	0	0	0	20.9	0	0	✓
A-02	NW Hotspot – Adjacent Concrete Cap	0	300	0	0	0	0	20.9	0	0	✓
A-03	NW Hotspot – Small Mound	0	300	0	0	0	0	20.9	0	0	✓
A-04	NE Fence Line Adjacent Hotspot	0	300	0	0	0	0	20.9	0	0	✓
A-05	Exclusion Area Fence Line East of Hotspot (Approx. 10m)	0	300	0	0	0	0	20.9	0	0	✓
A-06	Exclusion Area Fence Line Southeast of Hotspot (Approx. 15m)	0	300	0	0	0	0	20.9	0	0	✓
A-07	Exclusion Area Fence Line South of Hotspot (Approx. 30m)	0	300	0	0	0	0	20.9	0	0	✓
A-08	Exclusion Area Fence Line Northwest of Hotspot, adjacent 17 Lackawanna Street (Approx. 50m)	0	300	0	0	0	0	20.9	0	0	✓





<b>Date of Monitoring: Wednesday 16<sup>th</sup> May 2018</b>											
<b>Location</b>		Carbon monoxide (CO) (ppm)	Carbon dioxide (CO <sup>2</sup> ) (ppm)	Sulphur dioxide (SO <sup>2</sup> ) (ppm)	Hydrogen sulphide (H <sup>2</sup> S) (ppm)	Nitric oxide (NO) (ppm)	Nitrogen dioxide (NO <sup>2</sup> ) (ppm)	Oxygen (O <sup>2</sup> ) (%)	Volatile organic compounds (VOC) (ppm)	Methane (as LEL) (%)	<b>Within Acceptable Limits?</b>
A-01	<i>General Background – West of Site Fence</i>	0	300	0	0	0	0	20.9	0	0	✓
A-02	<i>NW Hotspot – Adjacent Concrete Cap</i>	0	300	0	0	0	0	20.9	0	0	✓
A-03	<i>NW Hotspot – Small Mound</i>	0	300	0	0	0	0	20.9	0	0	✓
A-04	<i>NE Fence Line Adjacent Hotspot</i>	0	300	0	0	0	0	20.9	0	0	✓
A-05	<i>Exclusion Area Fence Line East of Hotspot (Approx. 10m)</i>	0	300	0	0	0	0	20.9	0	0	✓
A-06	<i>Exclusion Area Fence Line Southeast of Hotspot (Approx. 15m)</i>	0	300	0	0	0	0	20.9	0	0	✓
A-07	<i>Exclusion Area Fence Line South of Hotspot (Approx. 30m)</i>	0	300	0	0	0	0	20.9	0	0	✓
A-08	<i>Exclusion Area Fence Line Northwest of Hotspot, adjacent 17 Lackawanna Street (Approx. 50m)</i>	0	300	0	0	0	0	20.9	0	0	✓



# AES

## ACTIVE ENVIRONMENTAL SOLUTIONS

### Calibration and Service Report – Gas Monitor

**Company:** Active Environmental Solutions Hire  
**Contact:** Aleks Todorovic  
**Address:** Unit 3  
 266 Bolton Street  
 ELTHAM, VIC 3095  
**Phone:** 03 9431 3500  
**Fax:** 03 9431 3577  
**Email:** [hire@aesolutions.com.au](mailto:hire@aesolutions.com.au)

**Manufacturer:** RAE Systems  
**Instrument:** MultiRAE  
**Model:** PGM 6208  
**Configuration:** PID, LEL, O2, COSH

**Serial #:** MAA30042QB  
**Asset #:** -  
**Part #:** -  
**Sold:** -  
**Last Cal:** -  
**Job #:** -  
**Cal Spec:** Standard  
**Order #:** -

**Wireless:** -  
**Network ID:** -  
**Unit ID:** -  
**Details:** -

Item	Test	Pass/Fail	Comments	Part Code	S/W
Battery	Li Ion	✓			
Charger	Charger, Power supply	✓			
	Cradle	✓			
Pump	Flow	✓	>300mL/min		
Filter	Filter, fitting, etc	✓			
Alarms	Audible, visual, vibration	✓			
Display	Operation	✓			
Switches	Operation	✓			
PCB	Operation	✓			
Connectors	Condition	✓			
Firmware	Version	✓	V1.40		
Datalogger	Operation	✓			
Monitor Housing	Condition	✓			
Case	Condition/Type	✓			
<b>Sensors</b>					
Oxygen	O2	✓			
LEL	LEL	✓			
PID	10.6eV	✓			
Toxic 1	COSH	✓			
Toxic 2		-			
Toxic 3		-			
Toxic 4		-			
Toxic 5		-			
Toxic 6		-			
Other		-			

#### Engineer's Report

Setup and calibration for hire.

#### Calibration Certificate

Sensor	Type	Serial No:	Span Gas	Concentration	Traceability Lot #	CF	Reading (ppm)	
							Zero	Span
Oxygen	O2	03420684RC	Fresh Air	20.9%	S104965-1		20.9%	
			Oxygen	18.0%				18.0%
LEL	LEL	03110703T9	Methane	2.5% (50% LEL)	S104965-1		0	50%
PID	10.6eV	03A3031QB	Isobutylene	100ppm	WO19052-4		0	100
Toxic 1	COSH	03130012S7	Carbon Monoxide	50ppm	S104965-1		0	50
			Hydrogen Sulfide	10ppm			0	10
Toxic 2								
Toxic 3								
Toxic 4								
Toxic 5								
Toxic 6								
Other								

Calibrated/Repaired by:

W.PAK

Date:

06.11.2017

Next Due:

06.05.2018

**Melbourne**  
**Sydney**  
**Perth**  
**Brisbane**

**Head Office**  
 514 Lvl2  
 Unit 6  
 Unit 17

2 Merchant Avenue  
 6-8 Holden Street  
 41 Holder Way  
 23 Ashtan Place

THOMASTOWN VIC 3074  
 ASHFIELD NSW 2131  
 MALAGA WA 6090  
 BANYO QLD 4014

T: +(613) 9464 2300 F: +(613) 9464 3421  
 T: +(612) 9716 5966 F: +(612) 9716 5988  
 T: +(618) 9249 5663 F: +(618) 9249 5362  
 T: +(617) 3267 1433 F: +(617) 3267 3559

[sales@aesolutions.com.au](mailto:sales@aesolutions.com.au)

ISO 9001:2008  
 CERTIFIED

[www.aesolutions.com.au](http://www.aesolutions.com.au)



# AES

## ACTIVE ENVIRONMENTAL SOLUTIONS

### Calibration and Service Report – Gas Monitor

<b>Company:</b> Active Environmental Solutions Hire	<b>Manufacturer:</b> RAE Systems	<b>Serial #:</b> M01C005735
<b>Contact:</b> Aleks Todorovic	<b>Instrument:</b> MultiRAE	<b>Asset #:</b> -
<b>Address:</b> Unit 3 266 Bolton Street ELTHAM, VIC 3095	<b>Model:</b> PGM 6208	<b>Part #:</b> -
<b>Phone:</b> 03 9431 3500	<b>Configuration:</b> CO2, NO, NO2, SO2	<b>Sold:</b> -
<b>Fax:</b> 03 9431 3577	<b>Wireless:</b> -	<b>Last Cal:</b> -
<b>Email:</b> <a href="mailto:hire@aesolutions.com.au">hire@aesolutions.com.au</a>	<b>Network ID:</b> -	<b>Job #:</b> -
	<b>Unit ID:</b> -	<b>Cal Spec:</b> Standard
	<b>Details:</b> -	<b>Order #:</b> -

Item	Test	Pass/Fail	Comments	Part Code	S/W
Battery	Li Ion	✓			
Charger	Charger, Power supply	✓			
	Cradle	✓			
Pump	Flow	✓	>300mL/min		
Filter	Filter, fitting, etc	✓			
Alarms	Audible, visual, vibration	✓			
Display	Operation	✓			
Switches	Operation	✓			
PCB	Operation	✓			
Connectors	Condition	✓			
Firmware	Version	✓	V1.40		
Datalogger	Operation	✓			
Monitor Housing	Condition	✓			
Case	Condition/Type	✓			
<b>Sensors</b>					
Oxygen		-			
LEL		-			
PID		-			
Toxic 1	CO2	✓			
Toxic 2	NO	✓			
Toxic 3	NO2	✓			
Toxic 4	SO2	✓			
Toxic 5		-			
Toxic 6		-			
Other		-			
<b>Engineer's Report</b> Setup and calibration for hire.					

### Calibration Certificate

Sensor	Type	Serial No:	Span Gas	Concentration	Traceability Lot #	CF	Reading (ppm)	
							Zero	Span
Oxygen								
LEL								
PID								
Toxic 1	CO2	03610036QC	Carbon Dioxide	5000ppm	WO131063-1		0	5000
Toxic 2	NO	03740180Q2	Nitric Oxide	25ppm	WO124693-1		0	25
Toxic 3	NO2	03750052RC	Nitrogen Dioxide	5ppm	WO137782-1		0	5
Toxic 4	SO2	03AF0109T5	Sulfur Dioxide	5ppm	WO123886-2		0	5
Toxic 5								
Toxic 6								
Other								

Calibrated/Repaired by: **W.PAK** Date: **06.11.2017** Next Due: **06.05.2018**

<b>Melbourne</b>	<b>Head Office</b>	2 Merchant Avenue	THOMASTOWN VIC 3074	T: +(613) 9464 2300	F: +(613) 9464 3421
<b>Sydney</b>	514 Lvl2	6-8 Holden Street	ASHFIELD NSW 2131	T: +(612) 9716 5966	F: +(612) 9716 5988
<b>Perth</b>	Unit 6	41 Holder Way	MALAGA WA 6090	T: +(618) 9249 5663	F: +(618) 9249 5362
<b>Brisbane</b>	Unit 17	23 Ashtan Place	BANYO QLD 4014	T: +(617) 3267 1433	F: +(617) 3267 3559

[sales@aesolutions.com.au](mailto:sales@aesolutions.com.au)

ISO 9001:2008  
CERTIFIED

[www.aesolutions.com.au](http://www.aesolutions.com.au)



## 5. DISCUSSION

Based on the air quality monitoring data obtained as part of this monitoring assessment, the inhalation risk to human health as a result of the subsurface hotspot remains low. The reasons for this conclusions are as follows:

- Real time monitoring results did not indicate the presence of gas in elevated concentrations; even at the source (i.e. the subsurface hotspot vent source). Concentrations of gases commonly associated with combustion (e.g. carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), volatile organic compounds, sulphur dioxide (SO<sub>2</sub>), hydrogen sulphide (H<sub>2</sub>S), methane (CH<sub>4</sub> – LEL), oxygen (O<sub>2</sub>), nitric oxide (NO) and nitrogen dioxide (NO<sub>2</sub>), were not detected at concentrations that pose a risk to human health in the North-Western Hotspot area, including locations surrounding the hotspot .


This concludes the interim air monitoring report from the 14<sup>th</sup> May 2018, to the 18<sup>th</sup> May 2018. It is recommended that weekly interim assessments are conducted to continually monitor the potential risk to human health whilst further investigation of the site is undertaken.



## Air Monitoring Risk Assessment

**Cringila Public School NW Hotspot – 35 Sheffield Street, Cringila NSW 2502**

### **Appendix A: Site Map and Sampling Locations**



**Legend:**

- ✕ Sampling Location
- A-00** Sample Location ID
- ..... Fence-line

Site	Cringila Public School
Area	Northwest Hotspot
Consultant	Rowan Clark
Date	Wednesday, 16 May 2018
Job Number	J153825
Report	AMR-24
Version	1.0

## Air Monitoring Risk Assessment

**Cringila Public School NW Hotspot – 35 Sheffield Street, Cringila NSW 2502**

### **Appendix B: Calibration Certificates**