



0526 Terrazzo Precast

Document version: 2.0

Published date: 30/11/2022

Disclaimer: The information within this document once printed/exported will be classed as an uncontrolled copy. Its currency must be checked by visiting the EFSG/Technical Standards website prior to using the information for any purposes.

Table of contents

0526 Terrazzo Precast 0

 Table of contents.....1

 List of tables1

 List of figures1

 00 Design principles.....2

 0.01 Main considerations2

 Specification2

 01 General.....2

 02 Products2

 2.3 Cubicle Partitions.....2

 03 Execution2

 3.5 Completion.....2

 04 Selections3

List of tables

No table of figures entries found.

List of figures

No table of figures entries found.

00 Design principles

0.01 Main considerations

It is a requirement to undertake the [00 PLANNING AND DESIGN/0001R - DESIGN REFERENCE](#) and [GLOSSARY OF TERMS](#) information into all aspects of design, detailing and delivery when developing the content here within. Clear demonstration of adherence to these requirements is part of the services and will be called upon at key points in the project and during at the discretion of the Department of Education (DoE).

Specification

01 General

As per current NATSPEC.

02 Products

As per current NATSPEC except as follows:

GUIDE NOTE: The following clause takes precedence over the appropriate NATSPEC Building Template/Worksection clause

2.3 Cubicle Partitions

Assembly

Anti-graffiti sealer: A clear anti-graffiti sealer is to be applied to all surfaces of the terrazzo cubicle partitions by the manufacturer, prior to installation on site.

03 Execution

As per current NATSPEC except as follows:

3.5 Completion

General: On completion, submit a maintenance manual including recommendations for care and cleaning of terrazzo finishes Include recommendations for the maintenance and re-application of the anti-graffiti sealer.

04 Selections

As per current NATSPEC.